

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	6	("20010054901" "20030151246" "20040245343" "5298731" "5811775" "6220333").PN.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/13 18:09
S1	61	("4263504").PN. OR ("5298731").URPN.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/08 13:18
S2	222319	(barcode or "bar code") with encod\$4 with (first or primary) with (second\$3 or supplement\$4) or third same (orthogonal\$4 or normal\$4 or perpendicular\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/08 13:20
S3	1	(barcode or "bar code") with encod\$4 with (first or primary) with (second\$3 or supplement\$4) with third with (data or information) same (orthogonal\$4 or normal\$4 or perpendicular\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/08 13:20
S4	12	(barcode or "bar code") with (stor\$4 or includ\$4 or has or have or encod\$4) with (first or primary) with (second\$3 or supplement\$4) with third with (data or information) same (orthogonal\$4 or normal\$4 or perpendicular\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/08 13:21

S5	31	(barcode or "bar code" or symbol\$4 or indiciai or "machine readable") with (stor\$4 or includ \$4 or has or have or encod\$4) with (first or primary) near7 (data or information) same (second\$3 or supplement\$4 or additional or extra) near7 (data or information) with (supplemental or extra or additional or third) near7 (data or information) same (orthogonal\$4 or normal\$4 or perpendicular\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/08 13:24
S6	12	(barcode or "bar code" or symbol\$4 or indicia or "machine readable") with (stor\$4 or includ \$4 or has or have or encod\$4) with (first or primary) near3 (data or information) same (second\$3 or supplement\$4 or additional or extra) near3 (data or information) with (supplemental or extra or additional or third) near3 (data or information) with (orthogonal\$4 or normal\$4 or perpendicular\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/08 13:36

S7	33	(barcode or "bar code" or symbol\$4 or indicia or "machine readable") with (stor\$4 or includ\$4 or has or have or encod\$4) with (first or primary) near3 (data or information) same (second\$3 or supplement\$4 or additional or extra) near3 (data or information) with (supplemental or extra or additional or third) near3 (data or information) with (orthogonal\$4 or normal\$4 or perpendicular\$4 or direction or axis)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/08 13:37
S8	440	(barcode or "bar code" or symbol\$4 or indicia or "machine readable") with (stor\$4 or includ\$4 or has or have or encod\$4) with (first or primary) near3 (data or information) same (second\$3 or supplement\$4 or additional or extra) near3 (data or information) with (supplemental or extra or additional or third) near3 (data or information)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/08 13:37
S9	570	("3d" or "three dimensional" or "three-dimensional" or "3-d") near2 (barcode or "bar code" or indicia)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/07/11 11:03
S10	268	("3d" or "three dimensional" or "three-dimensional" or "3-d") adj (barcode or "bar code" or indicia)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/07/11 11:04

S11	61	S10 and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/07/11 11:04
S12	1	(barcode or "bar code") with encod\$4 with length with width with height and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/07/11 11:09
S13	1	(symbol\$4 or indicia or barcode or "bar code") with encod\$4 with length with width with height	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/07/11 11:09
S14	15	(symbol\$4 or indicia or barcode or "bar code" or code or "machine readable") with encod\$4 with length with width with height	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/07/11 11:10
S15	276	(barcode or "bar code" or symbol\$4 or indicia or "machine readable") with (stor\$4 or encod\$4 or includ\$4 or has or have or encod\$4) near3 (height)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 11:21
S16	1122	(barcode or "bar code" or symbol\$4 or indicia or "machine readable") with (stor\$4 or encod\$4 or includ\$4 or has or have or encod\$4) near3 (height or z or profile)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 11:22
S17	113	S16 and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 11:22
S18	262	(barcode or "bar code" or symbol\$4 or indicia or "machine readable") with (stor\$4 or encod\$4 or includ\$4 or has or have or encod\$4) near3 (height or z or profile) near3 (data or information)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 11:22

S19	42	S18 and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 11:23
S20	24	(barcode or "bar code" or symbol\$4 or indicia or "machine readable") with (stor\$4 or encod\$4 or includ\$4 or has or have or encod\$4) with (length) with (width) with (height or z or profile) near3 (data or information)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 11:24
S21	7	(barcode or "bar code" or symbol\$4 or indicia or "machine readable") with (stor\$4 or encod\$4 or includ\$4 or has or have or encod\$4) near3 (data or information) with (length) with (width) with (height or z or profile)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 11:24
S22	26	S20 S21	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 11:25
S23	592	horwitz.in.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 11:39
S24	0	horwitz.in. and "235"/\$.ccls. and ccd	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 11:39
S25	4	horwitz.in. and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 11:39
S26	73	"235"/\$.ccls. and module and "10-1"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 11:40
S27	1	"5298731".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 11:44

S28	22	barcode with length with width with height	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 11:45
S29	0	("bar code" or barcode or indicia or "machine readable" or symbol\$4) with length with width with (physical near2 height)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 11:47
S30	3	("bar code" or barcode or indicia or "machine readable" or symbol\$4) with encod\$4 with (data or information) with ((length with width with (height or profile)) or (x with y with z with (dimension \$3 or axes or axis)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 11:55
S31	0	("bar code" or barcode or indicia or "machine readable" or symbol\$4) with encod\$4 with (data or information) with ((three or "3") near3 (orthogonal\$3) near3 (axis or axes))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 11:57
S32	0	("bar code" or barcode or indicia or "machine readable" or symbol\$4) with encod\$4 with (data or information) with ((three or "3") with (orthogonal\$3) near3 (axis or axes))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 11:58
S33	1	("bar code" or barcode or indicia or "machine readable" or symbol\$4) with encod\$4 with (data or information) with (length with width with height) with color	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 12:02
S34	453	("bar code" or barcode or indicia or "machine readable" or symbol\$4) with (2d or "2-d" or "two dimensional" or "two-dimensional") with color	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 12:03

S35	134	S34 and "235"/\$.cls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 12:03
S36	27	("bar code" or barcode or indicia or "machine readable" or symbol\$4) with (2d or "2-d" or "two dimensional" or "two-dimensional") with color near3 encod\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 12:05
S37	39	("bar code" or barcode or indicia or "machine readable" or symbol\$4) near3 (2d or "2-d" or "two dimensional" or "two-dimensional") same color near3 encod\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 12:12
S38	294	(barcode or "bar code") with (nm or um or nanometer or micrometer) and (invisibl\$3 or fluorescent)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 17:52
S39	51	(barcode or "bar code") with (nm or um or nanometer or micrometer) same (invisibl\$3 or fluorescent)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 17:52
S40	287	(barcode or "bar code") near3 (2d or "2-d" or "two dimensional") same (invisibl\$3 or fluorescent)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 17:56
S41	87	"235"/\$.cls. and (barcode or "bar code") near3 (2d or "2-d" or "two dimensional") same (invisibl\$3 or fluorescent)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 17:56

S42	41	"235"/\$.ccls. and (barcode or "bar code") near3 (2d or "2-d" or "two dimensional") with (invisibl\$3 or fluorescent)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 17:56
S43	0	"235"/\$.ccls. and (barcode or "bar code") near3 (2d or "2-d" or "two dimensional") with (invisibl\$3 or fluorescent) with (nanometer or nm or micrometer or um)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 17:58
S44	1	"235"/\$.ccls. and (barcode or "bar code") near3 (2d or "2-d" or "two dimensional") with (invisibl\$3 or fluorescent) same (nanometer or nm or micrometer or um)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 17:58
S45	0	"235"/\$.ccls. and (barcode or "bar code") near3 (2d or "2-d" or "two dimensional") with (invisibl\$3 or fluorescent) and (width or length) near3 (nanometer or nm or micrometer or um)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 17:58
S46	1	(barcode or "bar code") near3 (2d or "2-d" or "two dimensional") same (width or length) near3 (nanometer or nm or micrometer or um)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 17:59
S47	1	(barcode or "bar code") near3 (2d or "2-d" or "two dimensional") same (width or length or height) near3 (nanometer or nm or micrometer or um)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 17:59

S48	404	(barcode or "bar code" or symbol\$4 or indicia or "machine readable") near3 (2d or "2-d" or "two dimensional") and (width or length or height) near3 (nanometer or nm or micrometer or um or micron or picometer)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 18:08
S49	14	(barcode or "bar code" or symbol\$4 or indicia or "machine readable") near3 (2d or "2-d" or "two dimensional") same (width or length or height or dimension) with (nanometer or nm or micrometer or um or micron or picometer)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 18:10
S50	36	(2d or "2-d" or "two dimensional" or "two-dimensional") near2 (barcode or "bar code") with (read\$4 or scan\$4) same ccd same (locat\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 22:29

7/13/2008 6:09:15 PM

H:\EAST_Backup_workspace\East Searches\10533375_3.wsp